	Hits	Search Text	DBs
1	95	("4550139" "6271014" "6274312" "6277959" "6335167" "6352712" "6361939" "6391922" "5933823" "5807256" "4375671" "4761819" "5249267" "6253193" "6256614" "6298347" "6363488" "6389402" "6397097" "4626068" "4755944" "5560367" "5598511" "5921920" "6092047" "6223164" "6223164" "6098048" "5264906" "5315298" "3644929" "4319348" "5193058" "5638269" "5645348" "5768680" "5836693" "5922963" "5980102" "6154739" "6219964" "6219964" "6236975" "6250929" "4513433" "5967681" "4810602" "5954440" "4822696" "5461660").pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	0	((medica$4 near20 population) near40 (survey or test or statistic$3 or census)) same (symbol or icon$5 or sign)	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	14	((medica$4 near20 population) near40 (survey or test or statistic$3 or census)) and (symbol or icon$5 or sign)	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	38192	(people or person or house) and (symbol or icon$5 or sign)	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1781	(people or person or house) near5 (symbol or icon$5 or sign)	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	(people or person or house) near5 (symbol or icon$5 or sign) near5 survey	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	16	(people or person or house) near5 (symbol or icon$5 or sign) near5 (survey or test or question$5 or sample)	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	"6409171".URPN.	USPAT
9	5	("2628435" | "3478440" | "3570145" | "4045884" | "4650426").PN.	USPAT
10	5	"4950167".URPN.	USPAT
11	1	(epidemiolog$4 near20 survey$1) near40 (icon$3 or symbols or signs or drawings)	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	118	epidemiolog$4 near20 survey$1	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	116	survey$3 near30 (symbol$3 or icon$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	5	("5710886" | "5749075" | "5893075" | "5893098" | "6014634").PN.	USPAT
15	6	"6256614".URPN.	USPAT
16	3	("5041972" | "5956691" | "5974398").PN.	USPAT
17	30	"6236975".URPN.	USPAT
18	2	("6734953").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	2516	(people or person or house) near10 (symbol or icon$5 or sign)	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	1784	(people or person or house) near5 (symbol or icon$5 or sign)	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	569	(people or house) near5 (symbol or icon$5 or sign)	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	212	(people or house) near5 (symbol or icon$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	47	survey same icon	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	1	(adult or child or baby) near5 (symbol or icon$5 or sign) near4 (survey or question$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	413	(adult or child or baby) near5 (symbol or icon$5 or sign)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	66	("3891829" | "3894756" | "4131367" | "4325083" | "4345011" | "4414635" | "4547074" | "4597495" | "4679068" | "4751571" | "4855725" | "4917500" | "4965449" | "4990092" | "4998010" | "5047614" | "5059126" | "5202828" | "5229841" | "5298731" | "5303388" | "5337358" | "5339095" | "5341293" | "5413486" | "5437552" | "5452414" | "5459489" | "5461711" | "5466158" | "5484292" | "5525798" | "5537336" | "5545883" | "5569549" | "5572643" | "5586216" | "5587784" | "5597307" | "5600115" | "5604516" | "5624265" | "5640193" | "5650608" | "5684885" | "5693693" | "5729251" | "5739814" | "5804803" | "5832119" | "5841978" | "5848413" | "5862260" | "5862321" | "5862429" | "5869819" | "5886337" | "5903729" | "5905248" | "5938726" | "5986651" | "5995105" | "6012083" | "6043909" | "6081827" | "6084528").PN.	USPAT
27	9	"6256638".URPN.	USPAT
28	9	("4165890" | "4785420" | "4884972" | "5109482" | "5120230" | "5169342" | "5173051" | "5297041" | "5299125").PN.	USPAT
29	7	"6022222".URPN.	USPAT
30	6341	(medica$4 or population) near10 (survey or statistic$3 or census or study or question$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	7	((medica$4 or population) near10 (survey or statistic$3 or census or study or question$3)) same (icon$3 or gui)	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	0	"6551107".URPN.	USPAT
33	14890	(medica$4 or population) same (survey or statistic$3 or census or study or question$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	7740	(medica$4 or population) near40 (survey or statistic$3 or census or study or question$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	4615	(medica$4 or population) near5 (survey or statistic$3 or census or study or question$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	1	((medica$4 or population) near5 (survey or statistic$3 or census or study or question$3)) same icon	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
37	5	("5710886" | "5749075" | "5893075" | "5893098" | "6014634").PN.	USPAT
38	5	("5710886" | "5749075" | "5893075" | "5893098" | "6014634").PN.	USPAT
39	6	"6256614".URPN.	USPAT
40	225	(medica$4 or population) near5 survey	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	3	(medica$4 or population) near5 (survey adj10 form$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	4	(medica$4 or population) near40 (survey adj10 form$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	23	("4345315" | "4858121" | "4992939" | "5307262" | "5341291" | "5365425" | "5410646" | "5519607" | "5572421" | "5642731" | "5673691" | "5706441" | "5724580" | "5748907" | "5772585" | "5802493" | "5822744" | "5823948" | "5842175" | "5845253" | "5845254" | "5909669" | "5924073").PN.	USPAT
44	26	("4858121" | "4893270" | "4991091" | "5051924" | "5054096" | "5168548" | "5231670" | "5262943" | "5267155" | "5287270" | "5296688" | "5303148" | "5319543" | "5327341" | "5361202" | "5365598" | "5390238" | "5442728" | "5454046" | "5463696" | "5475798" | "5477511" | "5481645" | "5553609" | "5560005" | "5640953").PN.	USPAT
45	25	"5772585".URPN.	USPAT
46	30	("4436962" | "4766542" | "4958280" | "4975841" | "5249221" | "5327341" | "5450488" | "5475742" | "5509064" | "5511594" | "5597995" | "5612869" | "5636209" | "5646912" | "5666492" | "5737396" | "5772585" | "5845255" | "5950630" | "5950632" | "5970462" | "5971594" | "5982863" | "6014631" | "6088429" | "6108634" | "6112182" | "6161095" | "6314402" | "6493427").PN.	USPAT
47	9	("4723212" | "4910672" | "5173851" | "5519607" | "5550734" | "5660176" | "5666492" | "5737539" | "5758095").PN.	USPAT
48	4	"6112182".URPN.	USPAT

	Hits	Search Text	DBs
49	29	("4525885" | "4842394" | "5090648" | "5208748" | "5216603" | "5243531" | "5253164" | "5301301" | "5408603" | "5412804" | "5428734" | "5734915" | "5772585" | "5786816" | "5826237" | "5850221" | "5886693" | "5924074" | "5930803" | "5946659" | "5950630" | "5953704" | "5960403" | "6026363" | "6037940" | "6039688" | "6081750" | "6101500" | "6137499").PN.	USPAT
50	108	345/902.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	79	home near30 survey	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	23	("4345315" | "4858121" | "4992939" | "5307262" | "5341291" | "5365425" | "5410646" | "5519607" | "5572421" | "5642731" | "5673691" | "5706441" | "5724580" | "5748907" | "5772585" | "5802493" | "5822744" | "5823948" | "5842175" | "5845253" | "5845254" | "5909669" | "5924073").PN.	USPAT
53	16	"6151581".URPN.	USPAT
54	559	home near30 (survey or inspect$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	patient near30 (demographic or home or family) near40 (survey)	USPAT; EPO; JPO; DERWENT; IBM_TDB
56	622	patient near30 (demographic or home or family) near40 (data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
57	467	patient near30 (home or family) near40 (data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
58	381	patient near30 (home) near40 (data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
59	18	("4531527" | "4838275" | "5036852" | "5321618" | "5367555" | "5390238" | "5544661" | "5594786" | "5701894" | "5724025" | "5730143" | "5741306" | "5772604" | "5781442" | "5974124" | "6083248" | "6264614" | "6402691").PN.	USPAT
60	0	"6681003".URPN.	USPAT

	Hits	Search Text	DBs
61	50	patient near30 (house) near40 (data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	77	(medica$4 near20 population) near40 (survey or test or statistic$3 or census)	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	31	patient near30 (residence or dwell$3) near40 (data)	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	17	("4347568" | "4453220" | "4838275" | "5146562" | "5216596" | "5251131" | "5400249" | "5441047" | "5462051" | "5469353" | "5473537" | "5499293" | "5542420" | "5561446" | "5594638" | "5619991" | "5659741").PN.	USPAT
65	29	"5911132".URPN.	USPAT
66	35	epidemiolog$5 near5 survey	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	0	(medical near40 survey) same (patient$3 near20 (hous$3 or residence))	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	9600	(patient$3 near20 (hous$3 or residence))	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	249	(patient$3 near20 (hous$3 or residence)) near20 (condition or room)	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	4	(("5640683") or ("6100790") or ("6650230")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
71	6	(("5201060") or ("5448226") or ("5252979")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	23	US-5745036-$.DID. OR US-5774876-$.DID. OR US-5920261-$.DID. OR US-5959568-$.DID. OR US-6005482-$.DID. OR US-0610956-$.DID. OR US-6137403-$.DID. OR US-6148291-$.DID. OR US-6249227-$.DID. OR US-6260049-$.DID. OR US-6249999-$.DID. OR US-6304856-$.DID.	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
73	18	US-6577238-$.DID. OR US-6580358-$.DID. OR US-5974368-$.DID. OR US-6025780-$.DID. OR US-6061614-$.DID. OR US-6084570-$.DID. OR US-6107917-$.DID. OR US-6198392-$.DID. OR US-6369712-$.DID.	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	18	US-6577238-$.DID. OR US-6580358-$.DID. OR US-5974368-$.DID. OR US-6025780-$.DID. OR US-6061614-$.DID. OR US-6084530-$.DID. OR US-6107917-$.DID. OR US-6198392-$.DID. OR US-6369712-$.DID.	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	8	((("20010000430") or ("20010001553") or ("20010004236") or ("20010054959") or ("20020140546") or ("20020143668") or ("20020149468") or ("20020149480") or ("20020149481") or ("20020149482") or ("20020149483")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	1	((("20020149481") or ("20020149482") or ("20020149483")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	1	((("20020149482") or ("20020149483")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB